Section XV Chapter-79

CHAPTER 79

ZINC AND ARTICLES THEREOF

NOTES:

In This Chapter the following expressions have the meanings hereby assigned to them:

(a) Bars and rods

Rolled, extruded, drawn or forged products, not in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products, which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width. The expression also covers cast or sintered products, of the same forms and dimensions, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(b) Profiles

Rolled, extruded, drawn forged or formed products, coiled or not, of a uniform cross-section along their whole length, which do not conform to any of the definitions of bars, rods, wire, plates, sheets, strip, foil, tubes or pipes. The expression also covers cast or sintered products, of the same forms, which have been subsequently worked after production (otherwise than by simple trimming or de-scaling), provided that they have not thereby assumed the character of articles or products of other headings.

(c) Wire

Rolled, extruded or drawn products, in coils, which have a uniform solid cross-section along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons (including "flattened circles" and "modified rectangles", of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel). Products with a rectangular (including square), triangular or polygonal cross-section may have corners rounded along their whole length. The thickness of such products, which have a rectangular (including "modified rectangular") cross-section exceeds one-tenth of the width.

Section XV Chapter-79

(d) Plates, sheets, strip and foil

Flat-surfaced products (other than the unwrought products of heading 7901), coiled or not, of solid rectangular (other than square) cross-section with or without rounded corners (including "modified rectangles" of which two opposite sides are convex arcs, the other two sides being straight, of equal length and parallel) of a uniform thickness, which are:

- (i) of rectangular (including square) shape with a thickness not exceeding one-tenth of the width;
- (ii) of a shape other than rectangular or square, of any size, provided that they do not assume the character of articles or products of other headings.

Heading 7905, applies, *inter alia*, to plates, sheets, strip and foil with patterns (for example, grooves, ribs, chequers, tears, buttons, lozenges) and to such products which have been perforated, corrugated, polished or coated, provided that they do not thereby assume the character of articles or products of other headings.

(e) Tubes and pipes

Hollow products, coiled or not, which have a uniform cross-section with only one enclosed void along their whole length in the shape of circles, ovals, rectangles (including squares), equilateral triangles or regular convex polygons, and which have a uniform wall thickness. Products with a rectangular (including square), equilateral triangular or regular convex polygonal cross-section, which may have corners rounded along their whole length, are also to be considered as tubes and pipes provided the inner and outer cross-sections are concentric and have the same form and orientation. Tubes and pipes of the foregoing cross-sections may be polished, coated, bent, threaded, drilled, waisted, expanded, cone-shaped or fitted with flanges, collars or rings.

SUB-HEADING NOTE:

In this Chapter the following expressions have the meanings hereby to them:

a) Zinc, not alloyed

Metal containing by weight at least 97.5% of Zinc.

b) Zinc alloys

Metallic substances in which zinc predominates by weight over each of the other elements, provided that the total content by weight of such other elements exceeds 2.5%.

c) Zinc dust

Dust obtained by condensation of zinc vapour, consisting of spherical particles, which are finer than zinc powders. At least 80% by weight of the particles pass through a sieve with 63 micrometres (microns) mesh. It must contain at least 85% by weight of metallic Zinc.

Section XV Chapter-79

Exim Code	Item Description	Policy	Policy Conditions
7001	TANADOTICALE ADIC		
7901	UNWROUGHT ZINC		
-004 44 00	Zinc, not alloyed:		
7901 11 00	Containing by weight 99.99% or more of zinc	Free	
7901 12 00	Containing by weight less than 99.99% of zinc	Free	
7901 20	Zinc alloys:		
7901 20 10	Mozak or alloys of zinc and aluminium containing not less than 94% by weight of zinc	Free	
7901 20 90	Other	Free	
7902	ZINC WASTE AND SCRAP		
7902 00	Zinc waste and scrap:		
	Zinc scrap, namely the following: Old zinc die cast scrap covered by ISRI Code word 'Saves'; New zinc die cast scrap covered by ISRI Code word 'Scabs'; New plated zinc die cast scrap covered by ISRI Code word 'Scope'; Zinc die cast automotive grills covered by ISRI Code word 'Score'; Old scrap zinc covered by ISRI Code word 'Score'; New zinc clippings covered by ISRI Code word 'Screen'; Zinc die cast slabs or pigs covered by ISRI Code word 'Screen'; Zinc die cast scrap, as produced from automobile fragmentizers covered by ISRI Code word 'Scribe'; Hot dip galvanizers slab zinc dross (Batch process) covered by ISRI Code word 'Scribe'; Hot dip galvanizers slab zinc dross (Batch process) covered by ISRI Code word 'Scrub' (minimum 92% zinc) – free of skimmings; Continuous line galvanizing slab zinc top dross covered by ISRI Code word 'Seal' (minimum 90% zinc) – free of skimmings; Continuous line galvanizing slab zinc bottom dross covered by ISRI Code word 'Seam' (minimum 92% zinc) – free of skimmings; Prime zinc die casts covered by ISRI Code word 'Shelf' (85% zinc) – free from corrosion or oxidation ;Unsorted zinc die cast scrap produced from automobile fragmentizers containing about 55% zinc-bearing scrap covered by ISRI code word 'Scroll'.		
7902 00 90	Other	Restricted	Imports as per Policy Condition 1 below.

Section XV Chapter-79

7002	TIME DIFFE DOMNERS AND DEALERS		
7903	ZINC DUST, POWDERS AND FLAKES		
7903 10 00	Zinc dust	Free	
7903 90 00	Other	Free	
7904	ZINC BARS, RODS, PROFILES AND WIR	E	
7904 00	Zinc bars, rods, profiles and wire:		
	Bars and rods:		
7904 00 11	Hollow bars	Free	
7904 00 12	Rods, including wire rods	Free	
7904 00 19	Other	Free	
	Profiles:		
7904 00 21	Hollow	Free	
7904 00 22	Angles, shapes and sections	Free	
7904 00 29	Other	Free	
7904 00 30	Wire	Free	
7905	ZINC PLATES, SHEETS, STRIP AND FOIL	Ĺ	
7905 00	Zinc plates, sheets, strip and foil:		
7905 00 10	Calots	Free	
7905 00 20	Plates	Free	
7905 00 30	Sheets, strip and circles	Free	
7905 00 40	Foil	Free	
7907	OTHER ARTICLES OF ZINC		
7907 00	Other articles of zinc:		
7907 00 10	Sanitary fixtures	Free	
7907 00 90	Other	Free	

Policy Conditions of this Chapter:

- (1) Import of the following kinds of zinc skimmings is permitted freely without an import licence to units registered with Ministry of Environment and Forest, Government of India, on actual user basis upto the annual quantity limits indicated in the registration certificate:
 - (i) Zinc skimmings containing zinc 65% and above, lead and cadmium less than 1.25% and 0.1% respectively.